

$\Delta(1940) \ 3/2^-$ $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$ Status: *** ***

OMITTED FROM SUMMARY TABLE

 $\Delta(1940)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1850 to 2050 (≈ 1950) OUR ESTIMATE			
2040 \pm 50	SOKHOYAN	15A	DPWA Multichannel
1878 \pm 11 \pm 5.5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1900 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
2139	HUNT	19	DPWA Multichannel
2040 \pm 50	GUTZ	14	DPWA Multichannel
1990 $^{+100}_{-50}$	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 500 (≈ 350) OUR ESTIMATE			
450 \pm 90	SOKHOYAN	15A	DPWA Multichannel
212 \pm 21 \pm 6	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
200 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
400	HUNT	19	DPWA Multichannel
450 \pm 90	GUTZ	14	DPWA Multichannel
450 \pm 90	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79. **$\Delta(1940)$ ELASTIC POLE RESIDUE****MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
4 to 10 (≈ 7) OUR ESTIMATE			
6 \pm 3	SOKHOYAN	15A	DPWA Multichannel
9 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
8 \pm 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
4 \pm 3	GUTZ	14	DPWA Multichannel
4 \pm 4	ANISOVICH	12A	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
150 to 250 (≈ 200) OUR ESTIMATE			
– 90±35	SOKHOYAN	15A	DPWA Multichannel
140± 7±7	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
135±45	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 50±35	GUTZ	14	DPWA Multichannel
¹ Fit to the amplitudes of HOEHLER 79.			

 $\Delta(1940)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.01	undefined	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1940) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.03	undefined	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\pi$, S-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.12±0.06	120 ± 45	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1940) \rightarrow \Delta(1232)\pi$, D-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.06±0.04	–80 ± 35	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1940)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1940 to 2060 (≈ 2000) OUR ESTIMATE			
2137± 13	¹ HUNT	19	DPWA Multichannel
2050± 40	SOKHOYAN	15A	DPWA Multichannel
1940±100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2050± 40	GUTZ	14	DPWA Multichannel
1995 ⁺¹⁰⁵ _{–60}	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

 $\Delta(1940)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (≈ 400) OUR ESTIMATE			
400± 43	¹ HUNT	19	DPWA Multichannel
450± 70	SOKHOYAN	15A	DPWA Multichannel
200±100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			

450 ± 70	GUTZ	14	DPWA	Multichannel
450 ± 100	ANISOVICH	12A	DPWA	Multichannel

¹ Statistical error only.

$\Delta(1940)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	1–7 %
$\Gamma_2 N\pi\pi$	
$\Gamma_3 \Delta(1232)\pi$	30–85 %
$\Gamma_4 \Delta(1232)\pi, S\text{-wave}$	25–65 %
$\Gamma_5 \Delta(1232)\pi, D\text{-wave}$	5–20 %
$\Gamma_6 N\rho$	
$\Gamma_7 N\rho, S=3/2, S\text{-wave}$	
$\Gamma_8 N(1535)\pi$	2–14 %
$\Gamma_9 Na_0(980)$	seen
$\Gamma_{10} \Delta(1232)\eta$	4–16 %
$\Gamma_{11} N\gamma, \text{ helicity}=1/2$	seen
$\Gamma_{12} N\gamma, \text{ helicity}=3/2$	seen

$\Delta(1940)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
1 to 7 (≈ 4) OUR ESTIMATE	
16 ± 4	¹ HUNT 19 DPWA Multichannel
2 ± 1	SOKHOYAN 15A DPWA Multichannel
5 ± 2	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$	
2 ± 1	GUTZ 14 DPWA Multichannel

¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$	Γ_4/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
< 0.9	¹ HUNT 19 DPWA Multichannel
46 ± 20	SOKHOYAN 15A DPWA Multichannel

¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$	Γ_5/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
< 6.3	¹ HUNT 19 DPWA Multichannel
12 ± 7	SOKHOYAN 15A DPWA Multichannel

¹ Statistical error only.

$\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
80±5	¹ HUNT	19	DPWA Multichannel		
¹ Statistical error only.					
$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$					Γ_8/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
8±6	GUTZ	14	DPWA Multichannel		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2±1	HORN	08A	DPWA Multichannel		
$\Gamma(N a_0(980))/\Gamma_{\text{total}}$					Γ_9/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2±1	HORN	08A	DPWA Multichannel		
$\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$					Γ_{10}/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
10±6	GUTZ	14	DPWA Multichannel		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
4±2	HORN	08A	DPWA Multichannel		

$\Delta(1940)$ PHOTON DECAY AMPLITUDES AT THE POLE

$\Delta(1940) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
$0.170^{+0.120}_{-0.100}$	-10 ± 30	SOKHOYAN	15A	DPWA Multichannel

$\Delta(1940) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.150 ± 0.080	-10 ± 30	SOKHOYAN	15A	DPWA Multichannel

$\Delta(1940)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$\Delta(1940) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.1614 ± 0.0031	¹ HUNT	19	DPWA Multichannel
$0.170^{+0.110}_{-0.080}$	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.170^{+0.110}_{-0.080}$	GUTZ	14	DPWA Multichannel

¹ Statistical error only.

$\Delta(1940) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.209 ± 0.023	1 HUNT	19	DPWA Multichannel
0.150 ± 0.080	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.150 ± 0.080	GUTZ	14	DPWA Multichannel
¹ Statistical error only.			

 $\Delta(1940)$ REFERENCES

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)